


# ➤ Thule Caprock



Thule Caprock platform is capable of carrying up to 330 lbs/150 kg when properly installed and the load is evenly distributed. Your weight limit will vary by your mounting option and your vehicles capability.





+



+



=



## > Thule Caprock attachment options

**1**

Attached directly to  
Thule load carrier feet  
(sold separately)

Max load up to 100kg/220lbs

**2**

Attached to existing  
crossbars, using the  
Thule Caprock Crossbar Kit  
(sold separately)

Max load up to 100kg/220lbs

**3**

Attached to Thule Xsporter Pro,  
using the Thule Caprock  
Xsporter Pro kit  
(sold separately)


Max load up to 150kg/330lbs



# 1 Thule Caprock attached directly to Thule load carrier feet

Thule load carrier feet



Thule Caprock



+



=



# 2

## Thule Caprock attached to existing crossbars



Existing roof rack systems



Thule Caprock crossbar kit



Thule Caprock



- Thule Evo roof rack system
- Thule Edge roof rack system
- Thule Rapid roof rack system
- Thule Xsporter Truck rack system
- 3rd party roof rack system
- Factory installed roof rack system



**MAX** 100 kg \*  
220 lbs



\* Please check the maximum roof load capacity of your vehicle and roof rack system.

# 3

## Thule Caprock attached to Thule Xsporter Pro



Thule Xsporter Pro truck bed rack



+

Thule Caprock Xsporter Pro kit



+

Thule Caprock



=



150 kg  
330 lbs

